PRODUCT CATALOG





DURTUMINGA

Advanced In Conjunction With (ICW) Body Armor Plates

MADE WITH

DURITIUM TECHNOLOGY



15-YEAR STANDARD WARRANTY

• Ultra Light • Ultra Thin • Level III ICW • Multi-Hit Rifle Protection • Buoyancy Positive •

Cut [†]	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
SHOOTER	10" x 12" x .6"	25.4 x 30.5 x 1.5	2.4	1.1	PA1RF1ICW	ICWRF1-10x12SHMC	Multi-Curve, Shooters Cut (SH)
SAPI	10" x 12" x .6"	25.4 x 30.5 x 1.5	2.6	1.2	PA1RF1ICW	ICWRF1-10x12SEMC	Multi-Curve, SAPI Cut (SE)
SPRINTER PLATE	7" x 9" x .6"	17.8 x 22.9 x 1.5	1.2	0.5	PA1RF1ICW	ICWRF1-7x9FSSC	Single Curve, Full Size Cut (FS)

^{*}Full size and other custom cuts available upon request.


^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.



^{*} All Duritium III ICW plate thicknesses are 0.6'' +/- 0.125'' (1.5cm +/-0.32cm). All size (profile) dimensions are \pm 0.375'' (\pm 0.95cm).

DURITIUM® III ICW • MODEL PAIRFIICW

STOPPING POWER (STOPPING POWER IN CONJUNCTION WITH IIIA SOFT ARMOR)



PROTECTION TYPE / LEVEL:

Level III ICW

CONFIGURATION:

In Conjunction With (ICW) IIIA Soft Armor, Multi-Hit

AREAL DENSITY (WEIGHT):

3.24 lbs/sf 15.81 kg/m²

THICKNESS:

0.6" +/- 0.125" (1.5cm +/- 0.32cm)

CURVATURE:

Multi-Curve, Single Curve

MATERIAL:

Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

U.S. NIJ Level III ICW 0101.06 (NIJ Compliance Pending)

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

MANUFACTURING EQUIPMENT & CAPACITY:

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

ABBREVIATED LIST OF EQUIPMENT:

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50", 1 - 50"x74", 2 - 50"x98", 1 - 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

CUT OPTIONS



Other custom cuts and sizes available upon request.

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.





DURITIUM III+PS Advanced Body Armor Plates

MADE WITH DURITIUM TECHNOLOGY



15-YEAR STANDARD WARRANTY

• Ultra Light • Level III+ • Durable • Stand-Alone • Multi-Hit • Buoyancy Positive

Cut*	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
8	8" x 10" x .95"	20.3 x 25.4 x 2.4	2.1	1.0	PS1RF1SC	PS1RF1-8x10SHSC	Single-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x .95"	25.4 x 30.5 x 2.4	3.2	1.5	PS1RF1SC	PS1RF1-10x12SHSC	Single-Curve, Shooters Cut (SH)
옾	11" x 14" x .95"	27.9 x 35.6 x 2.4	4.1	1.9	PS1RF1SC	PS1RF1-11x14SHSC	Single-Curve, Shooters Cut (SH)
	8" x 10" x .95"	20.3 x 25.4 x 2.4	2.2	1.0	PS1RF1SC	PS1RF1-8x10SESC	Single-Curve, SAPI Cut (SE)
SAPI	10" x 12" x .95"	25.4 x 30.5 x 2.4	3.4	1.5	PS1RF1SC	PS1RF1-10x12SESC	Single-Curve, SAPI Cut (SE)
	11" x 14" x .95"	27.9 x 35.6 x 2.4	4.3	2.0	PS1RF1SC	PS1RF1-11x14SESC	Single-Curve, SAPI Cut (SE)
PLATE	6" x 6" x .95"	15.2 x 15.2 x 2.4	1.0	0.5	PS1RF1SC	PS1RF1-6x6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
E PL/	6" x 8" x .95"	15.2 x 20.3 x 2.4	1.3	0.6	PS1RF1SC	PS1RF1-6x8FSSC	Side Plate, Single Curve, Full Size Cut (FS)
SIDE	8" x 5" x .95"	20.3 x 12.7 x 2.4	1.1	0.5	PS1RF1SC	PS1RF1-8x5FSSC	Side Plate, Single Curve, Full Size Cut (FS)

^{*}Full size and other custom cuts available upon request.


^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.



^{*} All Duritium III+PS plate thicknesses are $0.95'' \pm 0.125''$ (2.4cm ± 0.32 cm). All size (profile) dimensions are $\pm 0.375''$ (± 0.95 cm).

DURITIUM® III+PS . MODEL PSIRFISC

STOPPING POWER



PROTECTION TYPE / LEVEL:

Level III+

CONFIGURATION:

Stand-Alone, Multi-Hit

AREAL DENSITY (WEIGHT):

5.04 lbs/sf 24.61 kg/m²

THICKNESS:

0.95" ± 0.125" (2.4cm ± 0.32cm)

CURVATURE:

Single Curve

MATERIAL:

Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

U.S. Level III+ German VPAM Level 6 NATO STANAG 2920 Level B4

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

CUT OPTIONS



Full size and other custom cuts and sizes available upon request

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.





DURITIUM III+PA Advanced Body Armor Plates

MADE WITH DURITIUM TECHNOLOGY



15-YEAR STANDARD WARRANTY

• Ultra Light • Level III+ • Durable • Stand-Alone • Multi-Hit • Buoyancy Positive •

Cut*	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
æ	8" x 10" x .7"	20.3 x 25.4 x 1.8	1.8	0.8	D1652SSB	SH3+8x10MC	Multi-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x .7"	25.4 x 30.5 x 1.8	2.7	1.2	D1652SSB	SH3+10x12MC	Multi-Curve, Shooters Cut (SH)
당	11" x 14" x .7"	27.9 x 35.6 x 1.8	3.5	1.6	D1652SSB	SH3+11x14MC	Multi-Curve, Shooters Cut (SH)
	8" x 10" x .7"	20.3 x 25.4 x 1.8	1.9	0.9	D1652SSB	SE3+8x10MC	Multi-Curve, SAPI Cut (SE)
SAPI	10" x 12" x .7"	25.4 x 30.5 x 1.8	2.9	1.3	D1652SSB	SE3+10x12MC	Multi-Curve, SAPI Cut (SE)
	11" x 14" x .7"	27.9 x 35.6 x 1.8	3.7	1.7	D1652SSB	SE3+11x14MC	Multi-Curve, SAPI Cut (SE)
PLATE	6" x 6" x .7"	15.2 x 15.2 x 1.8	0.9	0.4	D1652SSB	FS3+6x6SC	Side Plate, Single Curve, Full Size Cut (FS)
E PL/	6" x 8" x .7"	15.2 x 20.3 x 1.8	1.2	0.5	D1652SSB	FS3+6x8SC	Side Plate, Single Curve, Full Size Cut (FS)
SIDE	8" x 5" x .7"	20.3 x 12.7 x 1.8	0.9	0.4	D1652SSB	FS3+8x5SC	Side Plate, Single Curve, Full Size Cut (FS)

 $[\]ensuremath{^\dagger}$ Full size and other custom cuts available upon request.

^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.



^{*} All Duritium III+PA plate thicknesses are 0.7" ± 0.125" (1.8cm ± 0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

DURITIUM® III+PA • MODEL D1652SSB

STOPPING POWER (STOPPING POWER IN CONJUNCTION WITH IIIA SOFT ARMOR)



PROTECTION TYPE / LEVEL:

Level III+

CONFIGURATION:

Stand-Alone, Multi-Hit

AREAL DENSITY (WEIGHT):

3.96 lbs/sf 19.33 kg/m²

THICKNESS:

0.7" ± 0.125" (1.8cm ± 0.32cm)

CURVATURE:

Multi-Curve

MATERIAL:

Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

U.S. NIJ Level III 0101.06 NATO STANAG 2920 Level B4

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

MANUFACTURING EQUIPMENT & CAPACITY:

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

ABBREVIATED LIST OF EQUIPMENT:

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50",
 1 50"x74", 2 50"x98", 1 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

CUT OPTIONS



Full size and other custom cuts and sizes available upon request

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.





DURTUMG

Advanced Body Armor Plates with Green Tip Protection

MADE WITH

DURITIUM TECHNOLOGY





15-YEAR STANDARD WARRANTY

Ultra Thin • Durable • Stand-Alone • Multi-Hit • Green Tip Protection •

Cut [†]	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
SHOOTER	8" x 10" x .5"	20.3 x 25.4 x 1.3	3.0	1.4	GT1RF2MC	GT1RF2-8x10SHMC	Multi-Curve, Shooters Cut (SH)
SHO	10" x 12" x .5"	25.4 x 30.5 x 1.3	4.7	2.1	GT1RF2MC	GT1RF2-10x12SHMC	Multi-Curve, Shooters Cut (SH)
	8" x 10" x .5"	20.3 x 25.4 x 1.3	3.0	1.4	GT1RF2MC	GT1RF2-8x10SEMC	Multi-Curve, SAPI Cut (SE)
SAPI	10" x 12" x .5"	25.4 x 30.5 x 1.3	4.8	2.2	GT1RF2MC	GT1RF2-10x12SEMC	Multi-Curve, SAPI Cut (SE)
	11" x 14" x .5"	27.9 x 35.6 x 1.3	6.2	2.8	GT1RF2MC	GT1RF2-11x14SEMC	Multi-Curve, SAPI Cut (SE)
E E	6" x 6" x .5"	15.2 x 15.2 x 1.3	1.5	0.7	GT1RF2MC	GT1RF2-6x6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
SIDE	6" x 8" x .5"	15.2 x 20.3 x 1.3	2.2	1.0	GT1RF2MC	GT1RF2-6x8FSSC	Side Plate, Single Curve, Full Size Cut (FS)

^{*}Full size and other custom cuts available upon request.

^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.



^{*} All Duritium GT plate thicknesses are 0.5"±0.125" (1.3cm ± 0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

DURITIUM GT · MODEL GT1RF2MC

STOPPING POWER Threat Types 5.56 x 45mm 7.62 x 39mm NATO M855 (SS109) M₂ AP 9mm 5.56 x 45 mm, 7.62 x 63mm PS Ball (MSC) 55 grain ball 357 Mag 62 grain steel core (M193) 7.62 x 54R API B32 44 Mag M855 A1 (BXN) "Dragunov"



= ammunition each plate will defeat

PROTECTION TYPE / LEVEL:

Special Threat M855/SS109 (Green Tip)

CONFIGURATION:

Stand-Alone, Multi-Hit

AREAL DENSITY (WEIGHT):

6.48 lbs/sf 31.64 kg/m²

THICKNESS:

0.5" ± 0.125" (1.27cm ± 0.32cm)

CURVATURE:

Multi-Curve

MATERIAL:

Composite/Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

Abbreviated U.S. Level III/Special Threat

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

MANUFACTURING EQUIPMENT & CAPACITY:

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

ABBREVIATED LIST OF EQUIPMENT:

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50", 1 50"x74", 2 50"x98", 1 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

CUT OPTIONS



Full size and other custom cuts and sizes available upon request

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.





DURITIUM IV+HS Advanced Body Armor Plates

MADE WITH DURITIUM TECHNOLOGY



10-YEAR STANDARD WARRANTY

Level IV • Durable • Stand-Alone • Multi-Hit • Armor-Piercing Protection •

Cut†	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg [™]	Model #	Part #	Description
æ	8" x 10" x 1.1"	20.3 x 25.4 x 2.8	3.6	1.6 HS1RF3SC HS1RF3-8x10SHSC		HS1RF3-8x10SHSC	Single-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x 1.1"	25.4 x 30.5 x 2.8	5.4	2.4	HS1RF3SC	HS1RF3-10x12SHSC	Single-Curve, Shooters Cut (SH)
Ŗ	11" x 14" x 1.1"	27.9 x 35.6 x 2.8	6.9	3.1	HS1RF3SC	HS1RF3-11x14SHSC	Single-Curve, Shooters Cut (SH)
	8" x 10" x 1.1"	20.3 x 25.4 x 2.8	3.8	1.7	HS1RF3SC	HS1RF3-8x10SESC	Single-Curve, SAPI Cut (SE)
SAPI	10" x 12" x 1.1"	25.4 x 30.5 x 2.8	5.8	2.6	HS1RF3SC	HS1RF3-10x12SESC	Single-Curve, SAPI Cut (SE)
	11" x 14" x 1.1"	27.9 x 35.6 x 2.8	7.3	3.3	HS1RF3SC	HS1RF3-11x14SESC	Single-Curve, SAPI Cut (SE)
SIDE PLATE	6" x 6" x 1.1"	15.2 x 15.2 x 2.8	1.8	0.8	HS1RF3SC	HS1RF3-6x6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
SI A	6" x 8" x 1.1"	15.2 x 20.3 x 2.8	2.2	1.0	HS1RF3SC	HS1RF3-6x8FSSC	Side Plate, Single Curve, Full Size Cut (FS)

 $^{{}^{\}scriptsize +}\text{Full}$ size and other custom cuts available upon request.



^{*} All Duritium IV+HS plate thicknesses are 1.1" \pm 0.125" (2.8cm \pm 0.32cm). All size (profile) dimensions are \pm 0.375" (\pm 0.95cm).

^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.

DURITIUM® IV+HS • MODEL HS1RF3SC

STOPPING POWER



PROTECTION TYPE / LEVEL:

Level IV

CONFIGURATION:

Stand-Alone, Multi-Hit

AREAL DENSITY (WEIGHT):

7.56 lbs/sf 36.91 kg/m²

THICKNESS:

1.1" ± 0.125" (2.8cm ± 0.32cm)

CURVATURE:

Single Curve

MATERIAL:

Composite/Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

U.S. Level IV

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

CUT OPTIONS



Full size and other custom cuts and sizes available upon request

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of ten (10) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.





BALLISTICBOARD°

MADE WITH

DURITIUM TECHNOLOGY

Ultra Light Ultra Thin Warranted Performance Hand Gun & Rifle Protection

BallisticBoard®, made with Duritium® technology, is an ultra light, ultra thin ballistic material that is developed and manufactured in the USA to withstand multiple shot impacts from handgun and rifle fire. The BallisticBoard insert (soft and rigid) and clipboard are perfect for placing in a backpack, computer bag, luggage, or purse to turn it into instant ballistic protection. Tested by NIJ certified laboratories to exceed national industry standards, BallisticBoard is your answer to safety, security, and the confidence that you or your loved one is protected.









Soft BallisticBoard

Rigid BallisticBoard

Backpack Insert

Ballistic Clipboard

BallisticBoard and Duritium technology can be engineered for almost any custom ballistic application, from classrooms and furniture to retail environments and vehicle armor.

BALLISTICBOARD APPLICATIONS



Automotive



Shooting Ranges



Construction/Building Materials



Transportation



Law Enforcement Tools



Custom Applications

For more information or to discuss your custom application, visit ShotStop.com/contact-us



HAND GUN PROTECTION



BallisticBoard Insert - Soft (SSB-IIIA-SA)

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12SA	10" x 12" x .26"	25.4 x 30.5 x .66	1.1	0.49	BallisticBoard® Level IIIA – Soft Insert
FS3A11x14SA	11" x 14" x .26"	27.9 x 35.6 x .66	1.4	0.63	BallisticBoard® Level IIIA – Soft Insert

BallisticBoard Insert - Rigid (SSB-IIIA-RA)

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12RA	10" x 12" x .26"	25.4 x 30.5 x .66	1.2	0.54	BallisticBoard® Level IIIA - Rigid Insert
FS3A11x14RA	11" x 14" x .26"	27.9 x 35.6 x .66	1.6	0.73	BallisticBoard® Level IIIA - Rigid Insert

BallisticBoard Clipboard (SSB-IIIA-RACL)

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12RACL	10" x 12" x .26"	25.4 x 30.5 x .66	1.3	0.58	BallisticBoard® Level IIIA - Clipboard

HIGH-POWERED RIFLE PROTECTION





BallisticBoard Insert - Rigid (SSB-III-RA)

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS310x12RA	10" x 12" x 0.7"	25.4 x 30.5 x 1.78	3.75	1.7	BallisticBoard® Level III - Rigid Insert
FS311x14RA	11" x 14" x 0.7"	27.9 x 35.6 x 1.78	4.75	2.15	BallisticBoard® Level III - Rigid Insert



^{**}All weights are ± 4% or .50 lbs. (.23 kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.



BallisticBoard® Level IIIA – Soft Insert



BallisticBoard® Level IIIA – Rigid Insert



BallisticBoard® Level IIIA – Clipboard



BallisticBoard® Level III – Rigid Insert

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of sixty (60) months after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.







BALLISTIC CLIPBOARD

MADE WITH DURITIUM TECHNOLOGY

Ultra Light • Ultra Thin • Warranted Performance • Hand Gun Protection

BallisticBoard® Clipboard, made with Duritium® technology, is an ultra light, ultra thin ballistic material that is developed and manufactured in the USA to withstand multiple shot impacts from handgun and fire. The clipboard is perfect for placing in a backpack, computer bag, luggage, or to carry to turn it into instant ballistic protection.





Tested by NIJ certified laboratories to exceed national industry standards, BallisticBoard Clipbaord is your answer to safety, security, and the confidence that you or a loved one is protected wherever they go.



BALLISTICBOARD

HAND GUN PROTECTION





BallisticBoard Clip	pboard ((SSB-IIIA-RACL)
---------------------	----------	-----------------

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12RACL	10" x 12" x .26"	25.4 x 30.5 x .66	1.3	0.58	BallisticBoard® Level IIIA - Clipboard

*All insert thicknesses are ± 0.12" (± 0.30 cm)

Also available from Shotstop



BallisticBoard® Level IIIA – Soft Insert



BallisticBoard® Level IIIA – Rigid Insert



BallisticBoard® Level III (Rifle Protection) Rigid Insert



Advanced Body Armor Plates

Visit us at ShotStop.com

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.





^{***}All weights are ± 4% or .50 lbs. (.23 kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.

SHOTSTOP LIFESAVING BALLISTICS TECHNOLOGIES*

Body Armor Stopping Power

			_		
M2 AP 7.62 x 63mm 7.62 x 54R API B32 (BXN) "Dragunov"					(/ ₁)
NATO M855 (SS109) 5.56 x 45 mm, 62 grain steel core M855 A1				(4)	(/ ₂)
7.62 x 51mm 149 grain M80 FMJ	Soft Armor	(4)	(/ _f)	(/ _f).	(/)
7.62 x 39mm PS Ball (MSC)	Stopping Power In Conjunction With Level IIIA Soft Armor	(/ ₁)	(4)	(/ ₁)	(/ ₂)
5.56 × 45mm 55 grain ball (M193)	wer In Conjunctic	(/ ₂)	(4)	(/ ₂)	(/ ₂)
9mm 357 Mag 44 Mag	Stopping Po	(/ ₂)	(/ ₂)	(4)	(/)
Multi-Hit	YES	YES	YES	YES	YES
Buoyant	YES	YES	YES	O _Z	O _N
Material	Polyethylene	Polyethylene	Polyethylene	Alloy- Composite	Alloy- Composite
Curve	Multi	Single	Multi	Multi	Single
Weight Thickness	0.6 in. 1.5 cm	0.95 in. 2.4 cm	0.7 in. 1.8 cm	0.5 in. 1.3 cm	1.1 in. 2.8 cm
Weight	1.2 lbs. 0.5 kg.	3.3 lbs. 1.5 kg.	2.7 lbs. 1.2 kg.	4.6 lbs. 2.1 kg.	5.8 lbs. 2.6 kg.
Model	Duritium III ICW SS 7" x 9" 178mm x 229mm	Duritium III+PS (\$10^{-12^{-12^{-12^{-12^{-12^{-12^{-12^{-12	Duritium III+PA (S) 254mm x 305mm	Duritium GT 10" x 12" 254mm x 305mm	Duritium IV+HS 10" x 12" 254mm x 305mm
Threat Types	Ļ	L TEAET III	F	SPECIAL THREAT	TEAET IA

